

# eXtensible Catalog Project

## XC Schema Definition

---

Pre-Release Version, January 7, 2009

## Work-Level Properties

Property Name in Schema	URI (note that URIs for XC properties are provisional)	Description (if XC property)	Comment
dcterms:abstract	<a href="http://purl.org/dc/terms/abstract">http://purl.org/dc/terms/abstract</a>		
rdarole:artist	<a href="http://rdvocab.info/roles/artist">http://rdvocab.info/roles/artist</a>		
dcterms:audience	<a href="http://purl.org/dc/terms/audience">http://purl.org/dc/terms/audience</a>		
rdarole:author	<a href="http://rdvocab.info/roles/author">http://rdvocab.info/roles/author</a>		
rdarole:compiler	<a href="http://rdvocab.info/roles/compiler">http://rdvocab.info/roles/compiler</a>		
rdarole:composer	<a href="http://rdvocab.info/roles/composer">http://rdvocab.info/roles/composer</a>		
rdvocab:coordinatesOfCartographicContent	<a href="http://rdvocab.info/Elements/coordinatesOfCartographicContent">http://rdvocab.info/Elements/coordinatesOfCartographicContent</a>		
dcterms:coverage	<a href="http://purl.org/dc/terms/coverage">http://purl.org/dc/terms/coverage</a>		
xc:coverage	<a href="http://www.extensiblecatalog.info/Elements/coverage">http://www.extensiblecatalog.info/Elements/coverage</a>	A parallel property to the dcterms property of the same name, defined to enable use of link to Library of Congress authority files (lcnavf)	
dcterms:creator	<a href="http://purl.org/dc/terms/creator">http://purl.org/dc/terms/creator</a>		
xc:creator	<a href="http://www.extensiblecatalog.info/Elements/Creator">http://www.extensiblecatalog.info/Elements/Creator</a>	A parallel property to the dcterms property of the same name, defined to enable use of an attribute to link	

<b>Property Name in Schema</b>	<b>URI (note that URIs for XC properties are provisional)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
		to Library of Congress authority files (lcnav).	
rdvocab:dissertationOrThe sesInformation	<a href="http://rdvocab.info/Elements/dissertationOrThese slnformation">http://rdvocab.info/Elements/dissertationOrThese slnformation</a>		
xc:expressionOfWork	<a href="http://www.extensiblecatalog.info/Elements/expr essionOfWork">http://www.extensiblecatalog.info/Elements/expr essionOfWork</a>	A parallel property to the RDvocab property of the same name, defined to enable internal context-specific linking within the eXtensible Catalog	RDA element is not yet registered.
rdvocab:identifierForThe Work	<a href="http://rdvocab.info/Elements/identifierForTheWor k">http://rdvocab.info/Elements/identifierForTheWor k</a>		
dcterms:isReplacedBy	<a href="http://purl.org/dc/terms/ isReplacedBy">http://purl.org/dc/terms/ isReplacedBy</a>		
rdvocab:natureOfTheCont ent	<a href="http://rdvocab.info/Elements/natureOfTheConten t">http://rdvocab.info/Elements/natureOfTheConten t</a>		
dcterms:relation	<a href="http://purl.org/dc/terms/ relation">http://purl.org/dc/terms/ relation</a>		Within the XC Schema, associated with both the FRBR Work and Expression entities.
xc:relation	<a href="http://www.extensiblecatalog.info/Elements/relat ion">http://www.extensiblecatalog.info/Elements/relat ion</a>	A parallel property to the dcterms property of the same name, defined to enable use of an attribute to link to Library of Congress authority files (lcnav).	
dcterms:replaces	<a href="http://purl.org/dc/terms/ replaces">http://purl.org/dc/terms/ replaces</a>		
dcterms:spatial	<a href="http://purl.org/dc/terms/ subject">http://purl.org/dc/terms/ subject</a>		

Property Name in Schema	URI (note that URIs for XC properties are provisional)	Description (if XC property)	Comment
xc:spatial	<a href="http://www.extensiblecatalog.info/Elements/spatial">http://www.extensiblecatalog.info/Elements/spatial</a>	A parallel property to the dcterms property of the same name, defined to enable use of an attribute to link to Library of Congress authority files (lcnav).	
rdarole:speaker	<a href="http://rdvocab.info/roles/speaker">http://rdvocab.info/roles/speaker</a>		
dcterms:subject	<a href="http://purl.org/dc/terms/subject">http://purl.org/dc/terms/subject</a>		
xc:subject	<a href="http://www.extensiblecatalog.info/Elements/subject">http://www.extensiblecatalog.info/Elements/subject</a>	A parallel property to the dcterms property of the same name, defined to enable use of an attribute to link to Library of Congress authority files (lcnav).	
dcterms:temporal	<a href="http://purl.org/dc/terms/temporal">http://purl.org/dc/terms/temporal</a>		
xc:temporal	<a href="http://www.extensiblecatalog.info/Elements/temporal">http://www.extensiblecatalog.info/Elements/temporal</a>	A parallel property to the dcterms property of the same name, defined to enable use of an attribute to link to Library of Congress authority files (lcnav).	
xc:thesisAdvisor	<a href="http://www.extensiblecatalog.info/Elements/thesisAdvisor">http://www.extensiblecatalog.info/Elements/thesisAdvisor</a>	A person under whose supervision a degree candidate develops and presents a thesis, mémoire, or text of a dissertation.	Does not appear in the RDA role vocabulary. Definition parallels that of MARC relator "thesis advisor (ths)"
rdvocab:titleOfTheWork	<a href="http://rdvocab.info/Elements/titleOfTheWork">http://rdvocab.info/Elements/titleOfTheWork</a>		
dcterms:type	<a href="http://purl.org/dc/terms/type">http://purl.org/dc/terms/type</a>		
xc:type	<a href="http://www.extensiblecatalog.info/Elements/type">http://www.extensiblecatalog.info/Elements/type</a>	A parallel property to the dcterms property of the same name, defined to enable use of link to Library of Congress authority files (lcnav).	Within the XC Schema, associated with both the FRBR Work and Expression entities.

## Expression-Level Properties

Property Name in XC Schema	URI (note that URIs for XC properties are provisional)	Description (if XC property)	Comment
rdvocab:artisticAndOrTechnicalCredits	<a href="http://rdvocab.info/Elements/artisticAndOrTechnicalCredits">http://rdvocab.info/Elements/artisticAndOrTechnicalCredits</a>		
dcterms:available	<a href="http://purl.org/dc/terms/available">http://purl.org/dc/terms/available</a>		
rdvocab:awards	<a href="http://rdvocab.info/Elements/awards">http://rdvocab.info/Elements/awards</a>		
dcterms:bibliographicCitation	<a href="http://purl.org/dc/terms/bibliographicCitation">http://purl.org/dc/terms/bibliographicCitation</a>		
dcterms:conformsTo	<a href="http://purl.org/dc/terms/conformsTo">http://purl.org/dc/terms/conformsTo</a>		
dcterms:contributor	<a href="http://purl.org/dc/terms/contributor">http://purl.org/dc/terms/contributor</a>		
xc:contributor	<a href="http://www.extensiblecatalog.info/Elements/contributor">http://www.extensiblecatalog.info/Elements/contributor</a>	A parallel property to the dcterms property of the same name, defined to enable use of link to Library of Congress authority files (lcnavf)	
dcterms:dateAccepted	<a href="http://purl.org/dc/terms/dateAccepted">http://purl.org/dc/terms/dateAccepted</a>		
dcterms:dateCopyrighted	<a href="http://purl.org/dc/terms/dateCopyrighted">http://purl.org/dc/terms/dateCopyrighted</a>		
dcterms:description	<a href="http://purl.org/dc/terms/description">http://purl.org/dc/terms/description</a>		Within the XC Schema, associated with both the FRBR Expression and Manifestation entities.
rdarole:director	<a href="http://rdvocab.info/roles/director">http://rdvocab.info/roles/director</a>		
rdarole:editor	<a href="http://rdvocab.info/roles/editor">http://rdvocab.info/roles/editor</a>		
dcterms:educationLevel	<a href="http://purl.org/dc/terms/educationLevel">http://purl.org/dc/terms/educationLevel</a>		
dcterms:hasFormat	<a href="http://purl.org/dc/terms/hasFormat">http://purl.org/dc/terms/hasFormat</a>		
dcterms:hasVersion	<a href="http://dublincore.org/documents/dcmi-terms/#terms-hasVersion">http://dublincore.org/documents/dcmi-terms/#terms-hasVersion</a>		

<b>Property Name in XC Schema</b>	<b>URI (note that URIs for XC properties are provisional)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
rdvocab:identifierForTheExpression	<a href="http://rdvocab.info/Elements/identifierForTheExpression">http://rdvocab.info/Elements/identifierForTheExpression</a>		
rdvocab:illustration	<a href="http://rdvocab.info/Elements/illustration">http://rdvocab.info/Elements/illustration</a>		
rdarole:illustrator	<a href="http://rdvocab.info/roles/illustrator">http://rdvocab.info/roles/illustrator</a>		
dcterms:instructionMethod	<a href="http://purl.org/dc/terms/instructionalMethod">http://purl.org/dc/terms/instructionalMethod</a>		
dcterms:isFormatOf	<a href="http://purl.org/dc/terms/isFormatOf">http://purl.org/dc/terms/isFormatOf</a>		
dcterms:isReferencedBy	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		
dcterms:isRequiredBy	<a href="http://purl.org/dc/terms/isRequiredBy">http://purl.org/dc/terms/isRequiredBy</a>		
dcterms:isVersionOf	<a href="http://purl.org/dc/terms/isVersionOf">http://purl.org/dc/terms/isVersionOf</a>		
dcterms:language	<a href="http://purl.org/dc/terms/language">http://purl.org/dc/terms/language</a>		
xc:ISO639-3LanguageName	<a href="http://www.extensiblecatalog.info/Elements/ISO639-3LanguageName">http://www.extensiblecatalog.info/Elements/ISO639-3LanguageName</a>	A parallel property to dcterms:language that uses the ISO-639-3 (spelled-out name of a language) as its designated syntax encoding scheme.	ISO-639-3 is not a designated syntax encoding scheme for dcterms.
xc:manifestationOfExpression	<a href="http://www.extensiblecatalog.info/Elements/manifestationOfExpression">http://www.extensiblecatalog.info/Elements/manifestationOfExpression</a>	A parallel property to the RDVocab property of the same name, defined to enable internal context-specific linking within the eXtensible Catalog	RDVocab property is not yet registered
dcterms:mediator	<a href="http://purl.org/dc/terms/mediator">http://purl.org/dc/terms/mediator</a>		
rdarole:performer	<a href="http://rdvocab.info/roles/performer">http://rdvocab.info/roles/performer</a>		
rdvocab:performerNarratorAndOrPresenter	<a href="http://rdvocab.info/Elements/performerNarratorAndOrPresenter">http://rdvocab.info/Elements/performerNarratorAndOrPresenter</a>		
rdvocab:placeAndDateOfCapture	<a href="http://rdvocab.info/Elements/placeAndDateOfCapture">http://rdvocab.info/Elements/placeAndDateOfCapture</a>		
rdarole:producer	<a href="http://rdvocab.info/roles/producer">http://rdvocab.info/roles/producer</a>		

<b>Property Name in XC Schema</b>	<b>URI (note that URIs for XC properties are provisional)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
dcterms:references	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		
dcterms:relation	<a href="http://purl.org/dc/terms/relation">http://purl.org/dc/terms/relation</a>		Within the XC Schema, associated with both the FRBR Work and Expression entities.
dcterms:requires	<a href="http://purl.org/dc/terms/requires">http://purl.org/dc/terms/requires</a>		
rdvocab:scale	<a href="http://rdvocab.info/Elements/scale">http://rdvocab.info/Elements/scale</a>		
dcterms:source	<a href="http://purl.org/dc/terms/source">http://purl.org/dc/terms/source</a>		
xc:titleOfTheExpression	<a href="http://www.extensiblecatalog.info/Elements/titleOfTheExpression">http://www.extensiblecatalog.info/Elements/titleOfTheExpression</a>	The title of an expression.	No parallel element in RDA element set.
rdarole:translator	<a href="http://rdvocab.info/roles/translator">http://rdvocab.info/roles/translator</a>		
dcterms:type	<a href="http://purl.org/dc/terms/type">http://purl.org/dc/terms/type</a>		Within the XC Schema, associated with both the FRBR Work and Expression entities.
dcterms:version	not yet available	Newly-approved DC property	
xc:workExpressed	<a href="http://www.extensiblecatalog.info/Elements/workExpressed">http://www.extensiblecatalog.info/Elements/workExpressed</a>	A parallel property to the RDVocab property of the same name, defined to enable internal context-specific linking within the eXtensible Catalog	RDVocab property is not yet registered

## Manifestation-Level Properties

Property Name in XC Schema	URI (note that URIs for XC properties are provisional)	Description (if XC property)	Comment
dcterms:accessRights	<a href="http://purl.org/dc/terms/accessRights">http://purl.org/dc/terms/accessRights</a>		
dcterms:accrualMethod	<a href="http://purl.org/dc/terms/accrualMethod">http://purl.org/dc/terms/accrualMethod</a>		
dcterms:accrualPeriodicity	<a href="http://purl.org/dc/terms/accrualPeriodicity">http://purl.org/dc/terms/accrualPeriodicity</a>		
dcterms:accrualPolicy	<a href="http://purl.org/dc/terms/accrualPolicy">http://purl.org/dc/terms/accrualPolicy</a>		
dcterms:alternative	<a href="http://purl.org/dc/terms/alternative">http://purl.org/dc/terms/alternative</a>		
dcterms:created	<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>		
dcterms:date	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>		
dcterms:dateSubmitted	<a href="http://purl.org/dc/terms/dateSubmitted">http://purl.org/dc/terms/dateSubmitted</a>		
dcterms:description	<a href="http://purl.org/dc/terms/description">http://purl.org/dc/terms/description</a>		
rdvocab:dimensions	<a href="http://rdvocab.info/Elements/dimensions">http://rdvocab.info/Elements/dimensions</a>		
rdvocab:editionStatement	<a href="http://rdvocab.info/Elements/editionStatement">http://rdvocab.info/Elements/editionStatement</a>		
xc:expressionManifested	<a href="http://www.extensiblecatalog.info/Elements/expressionManifested">http://www.extensiblecatalog.info/Elements/expressionManifested</a>	A parallel property to the RDVocab property of the same name, defined to enable internal context-specific linking within the eXtensible Catalog	RDVocab property is not yet registered
dcterms:extent	<a href="http://purl.org/dc/terms/extent">http://purl.org/dc/terms/extent</a>		
dcterms:format	<a href="http://purl.org/dc/terms/format">http://purl.org/dc/terms/format</a>		
rdvocab:frequency	<a href="http://rdvocab.info/Elements/frequency">http://rdvocab.info/Elements/frequency</a>		
dcterms:hasPart	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		

<b>Property Name in XC Schema</b>	<b>URI (note that URIs for XC properties are provisional)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
xc:holdingsOfManifestation	<a href="http://www.extensiblecatalog.info/Elements/holdingsOfManifestation">http://www.extensiblecatalog.info/Elements/holdingsOfManifestation</a>	A property defined to enable internal context-specific linking within the eXtensible Catalog between data associated with the FRBR entity "manifestation" and the data formerly associated with MARC 21 Holdings records	Does not have a parallel property in the rdvocab namespace.
dcterms:identifier	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>		
xc:identifier	<a href="http://www.extensiblecatalog.info/Elements/identifier">http://www.extensiblecatalog.info/Elements/identifier</a>	A parallel property to the dcterms property of the same name, defined to enable use of link to Library of Congress authority files (lcnavf)	
dcterms:isPartOf	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		
xc:isPartOf	<a href="http://www.extensiblecatalog.info/Elements/isPartOf">http://www.extensiblecatalog.info/Elements/isPartOf</a>	A parallel property to the dcterms property of the same name, defined to enable use of link to Library of Congress authority files (lcnavf)	
dcterms:issued	<a href="http://purl.org/dc/terms/issued">http://purl.org/dc/terms/issued</a>		
dcterms:license	<a href="http://purl.org/dc/terms/license">http://purl.org/dc/terms/license</a>		
dcterms:medium	<a href="http://purl.org/dc/terms/medium">http://purl.org/dc/terms/medium</a>		
rdvocab:modeOfIssuance	<a href="http://rdvocab.info/Elements modeOfIssuance">http://rdvocab.info/Elements modeOfIssuance</a>		
dcterms:modified	<a href="http://purl.org/dc/terms/modified">http://purl.org/dc/terms/modified</a>		
rdvocab:numberingOfSerials	<a href="http://rdvocab.info/Elements numberingOfSerials">http://rdvocab.info/Elements numberingOfSerials</a>		

<b>Property Name in XC Schema</b>	<b>URI (note that URIs for XC properties are provisional)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
xc:otherPhysicalDetails	<a href="http://www.extensiblecatalog.info/Elements/otherPhysicalDetails">http://www.extensiblecatalog.info/Elements/otherPhysicalDetails</a>	Physical characteristics such as illustrative matter, coloration, playing speed, groove characteristics, presence and kind of sound, number of channels, motion picture presentation format, etc.	Analogous to MARC 300 \$b. Defined for use when it is not possible to map this MARC data to a specific RDA element.
rdvocab:placeOfProduction	<a href="http://rvocab.info/Elements/placeOfProduction">http://rvocab.info/Elements/placeOfProduction</a>		
rdvocab:plateNumber	<a href="http://rvocab.info/Elements/plateNumber">http://rvocab.info/Elements/plateNumber</a>		
dcterms:provenance	<a href="http://purl.org/dc/terms/provenance">http://purl.org/dc/terms/provenance</a>		
dcterms:publisher	<a href="http://purl.org/dc/terms/publisher">http://purl.org/dc/terms/publisher</a>		
rdvocab:publisherNumber	<a href="http://rvocab.info/Elements/publisherNumber">http://rvocab.info/Elements/publisherNumber</a>		
xc:recordID	<a href="http://www.extensiblecatalog.info/Elements/recordID">http://www.extensiblecatalog.info/Elements/recordID</a>	A system control number, analogous to MARC 21 bibliographic Field 035.	Uses the following vocabulary encoding scheme: MARC Code List of Organizations <a href="http://www.loc.gov/marc/organizations/">http://www.loc.gov/marc/organizations/</a>
dcterms:rights	<a href="http://purl.org/dc/terms/rights">http://purl.org/dc/terms/rights</a>		
dcterms:rightsHolder	<a href="http://purl.org/dc/terms/rightsHolder">http://purl.org/dc/terms/rightsHolder</a>		
rdvocab:soundCharacteristics	<a href="http://rvocab.info/Elements/soundCharacteristics">http://rvocab.info/Elements/soundCharacteristics</a>		
rdvocab:statementOfResponsibilityRelatingToTitle	<a href="http://rvocab.info/Elements/statementOfResponsibilityRelatingToTitle">http://rvocab.info/Elements/statementOfResponsibilityRelatingToTitle</a>		
dcterms:tableOfContents	<a href="http://purl.org/dc/terms/tableOfContents">http://purl.org/dc/terms/tableOfContents</a>		
dcterms:title	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>		

<b>Property Name in XC Schema</b>	<b>URI (note that URIs for XC properties are provisional)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
dcterms:valid	<a href="http://purl.org/dc/terms/valid">http://purl.org/dc/terms/valid</a>		
xc:typeLeader06	<a href="http://www.extensiblecatalog.info/Elements/typeLeader06">http://www.extensiblecatalog.info/Elements/typeLeader06</a>	A term that defines the characteristics and components of the record, derived from MARC 21 Bibliographic Leader/06 codes	Uses as its vocabulary encoding scheme the terms associated with codes used in MARC 21 Bibliographic Leader/06
xc:type007	<a href="http://www.extensiblecatalog.info/Elements/type007">http://www.extensiblecatalog.info/Elements/type007</a>	A term that defines the category of material, derived from MARC 21 Bibliographic 007/00	Uses as its vocabulary encoding scheme the terms associated with codes used in MARC 21 Bibliographic 007/00.
xc:typeSMD	<a href="http://www.extensiblecatalog.info/Elements/typeSMD">http://www.extensiblecatalog.info/Elements/typeSMD</a>	Specific class of material (usually the class of physical object) to which an item belongs, derived from MARC 21 Bibliographic 007/01	Uses as its vocabulary encoding scheme the terms associated with codes used in MARC 21 Bibliographic 007/01, as defined in conjunction with 007/00.

## Holdings-Level Properties

Property Name in Schema	URI (XC properties have not yet been registered)	Description (if XC property)	Comment
xc:callNumber		The call number of a resource.	
xc:itemOfHoldings		A property defined to enable internal context-specific linking within the eXtensible Catalog between data associated with the FRBR entity "manifestation" and the data formerly associated with MARC 21 Holdings records	Does not have a parallel property in the rdvocab namespace.
xc:location		Institution, library, etc. in which an item is located or from which it is available.	
xc:manifestationHeld		A property defined to enable internal context-specific linking within the eXtensible Catalog between data associated with the FRBR entity "item" and the data formerly associated with MARC 21 Holdings records	Does not have a parallel property in the rdvocab namespace.
xc:recordID		A system control number	Uses the following vocabulary encoding scheme: MARC Code List of Organizations <a href="http://www.loc.gov/marc/organizations/">http://www.loc.gov/marc/organizations/</a>
xc:RestrictionsOnUse		Restrictions imposed on individuals wishing to see the described materials.	

Property Name in Schema	URI (XC properties have not yet been registered)	Description (if XC property)	Comment
xc:textualHoldings		Textual description which may include both the captions and enumeration and chronology for the holdings of a bibliographic item in the collections of the reporting organization.	

## Item-Level Properties

Property Name in XC Schema	URI (XC properties have not yet been registered)	Description (if XC property)	Comment
xc:chronology		Levels of chronology that either appear on an item or that are used by the reporting organization to record the receipt of an item.	
xc:copyNumber		Copy number or a range of numbers for copies that have the same location and call number	
xc:enumeration		Enumeration that either appear on an item or that are used by the reporting organization to record the receipt of an item.	
xc:HoldingsExemplified		A property defined to enable internal context-specific linking within the eXtensible Catalog between data associated with the FRBR entity "item" and the data formerly associated with MARC 21 Holdings records	Does not have a parallel property in the rdvocab namespace.
xc:location		Institution, library, etc. in which an item is located or from which it is available.	Used when an item has not "inherited" the location from the holdings data with which it is associated.
xc:marksInscriptions		Marks/inscriptions on an item include any signatures, numbering, annotations, etc. that have been applied uniquely to the item by the artist, fabricator, owner, etc.	Equivalent to the item attribute of the same name as defined in Functional Requirements for Bibliographic Records (FRBR) 4.5.4

<b>Property Name in XC Schema</b>	<b>URI (XC properties have not yet been registered)</b>	<b>Description (if XC property)</b>	<b>Comment</b>
xc:pieceDesignation		Barcode or other machine-readable piece designation (such as OCR) associated with the item.	
xc:recordID		A system control number,	Uses the following vocabulary encoding scheme: MARC Code List of Organizations <a href="http://www.loc.gov/marc/organizations/">http://www.loc.gov/marc/organizations/</a>
xc:serviceProvider		The address (URL, etc.) of an associated service provider that enables a service related to the item.	A vocabulary encoding scheme will be defined for this property. Currently, the only allowable term in this vocabulary is "xcNCIP", which designates that the service provider enables the functionality of the eXtensible Catalog's NCIP Toolkit software.
xc:status		The status of an item.	May designate the permanent status of an item or the current circulation status (charged or not charged), as defined by a particular system.
xc:tempLocation		The temporary location of an item.	